


Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

The smill section of fundi articulati candati to which the a of the two follows; spering belong is a very nature one, which may be character, they Caules é shipomate brevissimo caespilosi l'eretes Folen Tentiusoule Istincte septets Hons as rapible penerifleris. I. vanie, mellifleres Jessile, Capitales l'animale rosposite de decomposite Sepula direari laceredate plemme montiserus, remosa, etetering longerm Slamiar 3-6 hirr i calm sperie vanie vanius i style brusten Heunet. Capsula accurrente 1. p. granilte avent de un torlans Securiar (candets multirostets) The only thousand as believe have, er rafind to the water daying of unt ofenensa



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



4h. J. asper n. sp. couliber (bipediliber et altre j caespitosis rigidis feretites rigidis com folis papilloss - arsperates; punionle composite sen derongonite ramis vecto-patulis.


copitalis, pouri (2-6) floris /; fepilis let laaccolete, sublatis rigides mullinerris la vibre exteriores vierosibres, interioribres Story onto stamina sex fire heple depending vater capsula (obvorge throughter) fair lever to semitis brular vix brevionsbes anthus like of brevions
ovanillandets inthem es brevion
flamentum for acquititus, Vi semines magnisher orte oblogi linealate costetis, contatis Therford Men Jersey Greater bridg Vickening - Hb. Fite Mill for reds own with the Call of jung theme sphagers swamp, by mile South cest of Muladelphin where it your togeth with sevel for of J. Canadansi, C.E Smith _ if i Ary adept. It very runious and ententing speciel, will charitary by the shariters above given at ditinget for it, the commenter seeded allies by its large rough sten, its large flowers 6 stout slaws, and layer would jumplik teted seeds. - Mongham is & me charater i functi, that self only ithe south summer James Kutt, at Stagues J. Jugosus Stends the roughnen of the flowing of. D. L. thenthe flows are most, while in J. felouter, the steen when an most but the flow rough free fog 452/m Allthopat, of Aple on on night. steen 1/4 - 2/4 feel high; the pande

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


Copyright reserved

MISSOURI BOTANICAL GARDEN



13 f. candatus Chy. H. S. St. 495 pairage carlibras

(2. 5 pullety respitation tentibus prizidis Kaevibur, pariale roup. 1. derry. nen; Jalent; den cops de la bada ovala hiaglets pyratitisments activitation of second œntet; parco-atrombete ovanis linearing landete it stil proven sens, about, stig exserting; From S. Coroli Cati & Houch Chape of the Bush Desirian Hale. __ Von sinde to the Cash tal smooth, with much smell flow, tog week capale slend stanger regulation much any the stand the thinking him they by it opening seen, gite northet with sombered only, fighers 2-4 his ident with de har s flow, store long in the Caps le Con ensents very deep not bre I klantblack color. In hub of stans is gette vanible, and un fregely 3 the 6, in 40 flows of 8 different species for all the floodities sente of above of har f. 4 only with 6, 9 with 5 11 with 6 and 16 mente one half, with I stame as intance did Affir accetteller on one plant with the exhibit the sam human of slaves Seed 0.45 0.50 line long 2/272 inter egelt blengthe applied or shit in works long the there love one shorte, whole send with that 1.0.1, 2 l. C, - Thise of send very numery and close




AS I Mertensianus Bong! caulibus a shijom on repeate humilionibus (spithamis pedalibus)

one of planting the compression of the planting to compression of the compre sporter largeris; rangin parte congesti; sporter overto la constituto proportione parte sporter partendo proportione partendo proportione partendo arumnet subulctif, stender plange Febbreving obtuers mensonlis son saving extende acquitibus. stamina (3-)6 superalib, rapsulan lete oboratan obtusan human asymthe sur superlies, ander, solongis sen obling levenly sagrissin meronation filant aegitites seu en brevisisibres, estale ovario oblases reg to so plup to travere. sen les oblonostes retirulater multivostats. From the Most outer Cont, Mertens you agard to the Cascade Matais Lyell a Rocky Motor Samuel Hengelmann Hayday Louther, to Colomes Medin Boshly Bigton Mits Arle. & Hart. 565 . 28m/S. ~ H. Anky Mit, Bourgeon I ensiplies Hook Hon. Bor A- 2. 191, Jug: M. Nalle Hall , R. E. 77. L. Franke vegni vir our letter for in their composite de girits. With somehesited of organ The Beech, Mati plant, stank I have before me - namen will dearning species of the States of the letter of the l are rather incomplete, and roxy para to prove district ample its power thegen entirely way The hierefers the Sitche place to kind following. (Hor. Am. 4.228) Songer to be some describes

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

describes the Ceaver of her plat as flat, but they are with flat like these of f. Just rates, for flattend I averse like there of f. xiphinds, _ Lathery's Stewn from Ligh, observers I, and anipitary only i than I, while tolen smoothst uponds, week end flamis (Hall); leaves is i all the Car. feli. of way differed with, usually 12-1 or rung 1/2 these Tent is 1. 1/2 - 2/2 like with, heads 4/2-6 lines d'anter, flower vy 1strully putalle, 1/4 to comments 2 tu log, im sept, as in this whole section veg vandle, obten to ante man to usely shorten bent i some flows of the Sitch pering en longer (as Bongar derviz the) the Kexlenusually 6, but somethy 3 Brongand of the sept. i Sthete I Cairme Mil. Theren, with, as long as or usually shorter the filand, off apiralate, orange as well as rapsule alway shit, oblise, style as log or skorter, Musken maggioch to These of the lest section, they applease, and by charact to they being sometimes quite company in stall follows Much they are usually got that their is a few of Seed. He seed itself is 0.23-0.00 line long \$2, 27 dant being, a with the applyer, 0.30-35 - sevenows - the diver spening of Stage, 8-12 nos on orselle there out side. The responsing sulliset pritt fri l'ombracolation. Eta S. looks on Sife of the onder of



16 / xiphioior the carlibus estimate ourse pauri ved mellissoris pauvis s. pluminis, partielli sepales laureslatis ambalets armonnetes aequalités 300 interiors bus obtensions bey brown by stermine 346 sen mo (in vorce) 3 capsula projection properties capsula projection acoutant much him rostratant fere regulation; anther, (file la Cittory Lincarity) for egitity ornis ovate i styleen breviore abfinierto, strigueta Luberty; seminibus vato la la ville; utru que apirulatis (vetriculates derdis directation). på. auratus cauliter gmiliter elater (hipelite alle) fotig lating la vegen i file lation Zens paurité (5-10) floris aurités nitentibes; sepli lærestette aeger longer, extensible blændenater ittong anti, jugide prosenter sostute 2x2ette Etterslig: collies sobeaties életer 12-4 pedlitis) vaginis - folis late sur: - excumites 3. bowiling am selle superdereporte Cognitulis pour vel polari (3-20) Horis Hours, puls sugarity, Explis extensils and to. Aleli uteron acute 1. obtuniende municité pale 1. NX supertibus, rapsulee aoute softiet vix brevioribus, antheris film sape aprilates filmeto parte long, vistry. sem. de black colete, J' montances: omliber humblish spithanceis sesquipedelibes folier agultorles best amittellis pangle capitale, angel plunding punfloris pulledbrits periode see flooding fearle wekenberg sepales thatenmely brownels

stanite similar signila signilar plenn-gur aruti, wither frant gespu breaks flowing to oblace estely - De xighter of Tor Ori Do J. 1222 Gray Pl. Hella fish. C.c.

Var d. macra they to Capit ractory medi's seg-judel, bijudet, fofits and with warriets. Capitalis pulling (68-40) floris, floris Juni majoribus, sepalis fore acquelogis illumices capiliant capiliant capiliants blants substruction, te, search Books, about aprilleding Jugion by folgrephales a sixport Hook to Son A Van E. triandrus, coule hunding elative prittain capital soli's august 1. Clarily many it friending, sepling acquelos of florito me jones alrifered in the sepling which selbourists applied of the Contraction of the Contractions of the C east & Bege & Hetterty Mit to the plane, the sieles pende sons Ver d'asa rollectou Thati. Turvey 838, m/S o'th ony, I file They Stick seen to be free lit to the seasonst The John Kenter, Mother for Treg. Stalking figall, to Colombe Hall Sty De New Merica, Feder 858 angle 1925. It doll har for i he Mexico W al it the plany Sketcher Soul of For Nolly Helyl the some health in the May is a sellen 70 I have Muxin Wyll. 1923 - fort /29 weil Zexa, Linserus, Hoband, Und's finth contested Soughan I Can al Mil Lyell ither Van E for Mulartha Chan to tothe Case of Mit.

Akicher de. The Speries of the whole group of hisifolis, and mag eventefally is as varieble i extend as any of its eastern congeners, and its offene forms as widely apart; if we take it cous. Anti- size in number of flowers is a heart, tolefferresses at even number of stancy I but the flow it guil are numbelly uniform, i as the forms, and Transition between ace of the are not counting. The flowers are 1/2 lines log rands a little able; stany should rarely more the halfer log of sepel, al deed 0,29-0.26 l. long at attenute of least at The lower and, except i wand, the length usually ale gy t 2/2 d'aut, abt 8 nb, an vis. He att side, reliabletion and cross streater Cineclature of the arece very need let Situate Cand is off to feel fright with them of 3 likes will be leaves and sometime and him wide paintle 4-8, us log; head i so for parepaper ithe original Hace Kenn perion seen, i other many flower. seed usel Heart and clark junger. lan, S. it somitande the tasky with leaves 2-2 l. write is ditient of the pretty gold straveole gasters printe, alle 4 rate - Centy of dept claust unitess, aprile in il longer the the sept and Carger the the

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Missouri

Botanical


Garden

var j. The fort the state is lower, with four heads, with fewford in sall partle of 2 into there laye head to I the les islate, lear, une 1-1/2 Court - Laws of many be runded a layer flower, layer heart for of At letter, how hold will flower 1/4 l. or nun - length; seed thick, 0.25-0.26 Ily theken the thother I will that I about aportale points. The E with its very flat Toucht our skortshey leaves tooks on but st. fil seed are awilignstles for theste of the other for, I sure over this we fire the same except shape of leavy at heads age i for of J. Menters I of J. plenorghy To that i herbarca They are off roughly with this for of xight willy, but can really be detical to the flowings. - The see are intermedite between Those of the forms. A SUPPLIED ! GEORGE ENGELMANN PAPERS the luner flowers, obtuse ovary, I capsula I long with seeds ditigit I. Mutes for xiphody but it must be compared that the Situation is puhay to shift

2-5 Tieleting 47. S. oxymens n. sp saulibis le skigomete compressis a later) Situate rodosis; paniele.

Compressis a later) Situate rodosis; paniele.

Sulfin de composite esfusa; capitalis 5-10 floristatistis florios partillatis; florios partillatis; laureoletei acutistismis. supertitos, ovarie localet como to extestion, eratheris Congo Leheanits flant. plan que Inple long on bus i estignal. Es exxestir som in upis ca Hencealer of the consequi long um attenutur acquitites expertes. sem e bes visto lacciedati. : Lan Banistro, Adolanden Deatiflones, floriteas soldo longionibus, Beath. M. Hack 1361. Serament alley Hadeneg, 2017 de service, Bolani - Of the Though only two speciens of this plant are before me and these guite d'isianilanto cach other, I venture To prosone Them as as once species district for I. xipherder beg Their sharp pointed sepels of Ah the inner exceed the outer ones, Their elangat alust sublet, capsule, Ach is simile i hope to that of I nowon, and the voky large anthony while are worth twice in lay anth Claments, and first Kastwegs plant is I feel high has broader leaves of 2/2 likes unde in that any stiple approages witt, mitte suroplete Reputations; pamile 6 racher log, and somethis continuation. Bolowing plant i 2 feet high & Strains of Jannale) of the theath, a nen detalle knotted, parte Sikolen,



beriannelet,'s s. innelety As I princouphale, ness, cantiber confusions, in aprile capital singular plus places places of seems, in the same places places of seems, in place mission place places of seems, in the seems of seems Morjondes (atriffier oct) jud tellati, sepeler bothers Lato ovatis, augi logis, miniba varietis seu midfideti, sen istensiles obteisate, stammina, 6 paulo supen l'or, capsule obtersais, se andry class successortan subunilocaloren degetet, sen ea parle brussibe, anthen; late lineant, fortamente bis terre longivisting. ovano landoto i style aggintoge affendeto This whethis i see - to obvide; who gen appirculates aveis sublacentes vetis latis. Rost Rovi? Meyer - Pel. Hacul. 1.142.

* Legistinas: carte pulli say pilli ministration conformentis, conformentis, conformentis, orginistation and composite paintales vagis aunitis peles asyntis superior samples sures. A Californi sparing for the Sea Coash for Monterey, Hienke, Obrewer, to fan Francisco Volunder B. gelsell It low land, Som handson Bolen Maper Willy Brigelow to "Front Calen Ch higher motors, and motor to the copy with Tuolumne Willey Ely. Stil son (1209 & 1760). 2979 - This spency is almost as vanible as lets eastorn found from the formal of surgery by their deep brown heads of flower, this laye flowing the long anthey In conjuracy

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN


MISSOURI
BOTANICAL
GARDEN

Conspores style - exect stifners bythe form the style of the steer on the style of the steer on the give of the street of the leaves on the give of the replied that the sound the form with the people with the given the people with the graph peo 1-1/2 Prikes wide, as long or longer the Histon. Lead, lange, St. - dant, mist of 15 t 25 Journ, usull 2000 to gette, solling to bord de joris a satt druge parcle. shorter the the steen; head with a g 10-12 glans, Coosely - i a satte Shut panite f sonting 6 shely aug the white brown has, lan flower glan protons staying of I had that close examite is never to ditight the least 15-20 flend, single on two together 1 4-1 C. Riant de O Mowen 2-2/2 likes long, some of first shope, alway, book of thee, al ett obline or usell ante or log amente and ever assitts sublet. Tips, It the ones ove abet as legas the out ones but offen surre obtens! Hand tongs; all si a mene of var y fell 1/2 d. log; i oth I from the son my series of white longer of the longer of the longer of the stay of the series to superforment of the file of the seed of the seed of the stay of it dent eget to 2 marsh d'emites. 8 or 9 sinte virible, retirelet close bet d'et avece Inches or with market one or two people like, then similar to the seed of I sorpered, such how Si hus fewer sile. - V. Mugen (l. c) desories the files very exercetty, but supelis totthe flatt gapping of 2th

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Lesquilles 49 S. chlororephalus nsp. cail. ben putalitury e shijoute brus repet (erestis taespitoseis); re-folis compressis; rapitalis singulis seu pauris, skattes men brunnen long av. Com, multiglonis, flority megni longere pedtelletet, pellid, sepelis oblogis Abtugis s. extenonib, runine intenonib, que mucronet; aegalibus sen intermile parle longion to, slacurice arthuis con linearly file to betalogists steplo ovario vito vix excedentibus; yours, ovati steplo ovario vito multo longerre exsente, scapsula ? senición? In the higher Michaels of California, Menda, Int Dans & Armen, 10000 feel high Shown Cal H. Sur. Mother's win Con- City, Meral, C. X Andreson aceinst the Cest by it, few heads, boilt lange flows, log auther, et it is reality, ditinguishtly it, pale rolon, estable at fint blench worldent ikt Ton Operacy plat, its bood a doller sepel, mell overg with exceeding by obje. The feer's green, with the sheath, off rose of the people. Leave har I lie vide, (company takella ite) but at amorpilos, shorten the the steen, here's itt 1. befor me 1-3, næs 6-2 l.: Late: rossistig of 15-20 or 25 veg conspirately the sept, bood of guite obtiese or new oris. south with stand short the separa terre to time as long on faitalment · Alle twee a, by as short over, theyen shorten e longer the strigen. In I not seen.



44. J. Canadrani gag caulibres baespilosis feretitus leevibes peniale rapitales punti- metti longionibus stames 3 supertitus caps la hiary let un border planage anther obles longies fila tibre un boy covaire in style brown attents, seems buy seems buy stightles, Her & brevious tens continue capitalis pour sepelis acutin same sage obtusis Sominetting Diplomation line (It multires telemen appendiche dans de sens Handson Sand June Country Semi-burger Country Tom M. 4.2.327 Man. A. 2. 481 Chapin R. 494 Tank Alle Minchany. A coantatus: raulibus hum Limber Spilland particions), parisolar constitue menis eventi,

spilland properties of the deplo brown tray copyed from an are tata plenning large executar 1. Cal. B. Gallar (12-22/2)

B particles : (and be, elation as entire equi de spilland entire parisonia entire parisonia entire parisonia entire especiales especiales entire especiales entire especiales entires entires especiales entires especiales entires especiales entires enti Theat. Guran voluminale murrel, Typula. parte souther ex serte. Var 1. subranditing contile, grantiber, excele; sen derabetil, panile efferen might father sepales acoutissimes, authors ollogs - lehear berg gela to allo browners, copyalis plenger virente strains mornetis selexetti, suprisby brioribus semialisma ablazone, d'acute melto homes reterte melt rodator

var je longierndalus: carlibus estatis regustris nigidis, panialae contrate son estisse capitalis plun - meti (8-20-50-90) floris; sepales aralis Den saro obtes; usvales, auther, delongis seep merrontis filante sepe dreple brevioriber capsulis prisontis obtenis mentes den application semination oblinger liver illette south skagetibe Sælen malt bongsonien. I. Candensis & Jag lone I. pandoge, Jon Man 22 C.c. 481. Chaper. 494. An austiple. Kon Collegen. The speries inherity seems to make its home in the water part of the Male Six of the rest west. state to Louisian lean out the suitare state of the horning velly to which affer the i et ranger. - The small for of the of is to day northern, extends for the Markent States to land a doke - cepening at South to Somewhan! Som by Porter gets it i'the and the south limit of have reen and prong Trout for demastration on one in the fing; of The lower voit suit for som the the own common one, at the the the taller om vitt sprang fræmiles her bec. gund from Panyon Fortu to with 190h you Sastwell, Day, that Ohis Sallivan wir dann. Van /3 .; a form.

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COPYRIGHT RESERVED

1. C. 3 of the whater Hole of Connation laton to sur ferre & cansgon, Dant Smith, Leit, i orter Strict of Calabe. Bebb S. Carolic. Mutile Jungin Byrich Latter 4 J. armt. Jung the most common af all extens over the state state region ishall by the sperios with the except perhaps of to worthand port as I have seen as the Com Som from /Z 45. mith of Manhatt Another intricate species the different forms of i helit is well as in artifice chanter, which are as with apart V as they possibly can be and stall armeeted by insensible transition, so that eventt differel vanielie, om ast always be kapet clearly Stant? In un less Confusion is the Squaryen of the plant. It is quite impossible that species, indend we find there such any Michany and hubering that some how or other its Liquid: chants were overlooked and it was thrown to gether with other species such as I polycephalers or J. subscates thetay) well of forming forming the such which name, this and J. pallers, was frater, are efter for e thrown tigether. In Mute, het it lix with a name, Might getter I - Camel this, Light with the two last species, are well ditigues for all the oth astrolet on by their tile seeds in det der sent to the autones it is detinable for it allies by the smaller number of stane the smaller I ferth shap seeds, the shape of projections Cara,



smill, usulg I-4 pleashel MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS Man & is designed for the other form by its smiller grover, 1/2-1/2 sanly (- che Lugaria junian 1174) line long, at the for of A seeds. Hese are 0.25-0.33 like long, The Samity being eg l Att legte, est the Nitet applys & an ablique to the dant so the that the the seed atting a length of for o. 40 - 0.60 lines, i- 9 sit, on with on the side of the 10 court of the buser rapsules larger looks head is what he want for I come to they How bolowith, Michan plus how com for soit motion, suite our prot pour is I believe at just South of Congelian, monor, these bolist who had a oppliet of exercis Hornel Their declar Here d'ét. Coult J. pulles (see pag. . . .) ength would not more the 1 ortz ich wide, looseor sarch Jensely flowed, the point heads look might lange on ent of the (erectish tong excel) such capseles. The large for does not seem to be as freget es the mallemone, and of first sight is so endeg Affect from it that it riskly sonly dulfull of karben of it, usully it en tok she dement eten, i lage spre jand Aggine, log e proportiatel wide) et its smelle short had seem to separte it willy offer the last, and moreon the separts are shortely hower of war and graning for of countilles, It much short capsules and the the make the & The country!

es d'Cambans i A fin collect o leg EC In the Transven un Mula Igh. hes acute sept 10-12 flow I head and the an ud other in a deling enountly with teel be dening end for the und for of felders. Ver J. Lors at seen than attende I has seen there es salue a save plad attuele It alleling boto st, Though it has dan rolled e spendel det she bet in e - Herfersey untill the Beble of Was City Men South of Whitadelphi steering it with a good Del of care I stewart the shortners of The applyes sedend unt both of to place it away for its above alliances, now or with phelierry. closely without of such chant remit to keep it ditul per of ever as a more variety, the leagth if the appear to the same the whole place howen is sure delivete light green the steen weak and very of berunbent, the Me veg love with by a flow largette let, 1/2 1. C. Smarkey sept along the love of the starte let, 1/2 1. C. Smarkey sept along to the and of rank offer muco rank oblas. it, & about menont more rummonly ævile er ævilale, longer Than The septly. Jeeds 0.25-0.36 linky Caught eg 16 2 or 2/2 d'omtes; with the effe 0.33-0.90 on med earlibo or more his log i applys fort word less those, of only on half the dant of At seed, I - I sile, wisher, with only anapprent to restrictation.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI BOTANICAL GARDEN

Lord; 8-6- 1 south; 2, much as 10 ints 5 MISSOURI BOTANICAL GARDER GEORGE ENGELMANN PAPERS Var y i the most polymerpher of all the yours of Their speries it is stocked teller were my the ways that the the property of the says of the start of the says of særely somethe of wer war e or south nearly equal in length, dutters us ill copied (usually ofthe prisution of others as long or exceeding the the sepal; sometimes pom antate elongate How-Howers 1/2-2 likes long greenth, I less stills the rays less through the color of the light brown) and the still the south south south south south south south south Shorter applyer or ong slewler, som what Imallen and with though applying the former there are 0.30-0.46 ling lag, legtt egelt 2/2 d'auto, a witt apply 0.60-100 Ci-Cen. the the letter have a best of 0.52-1 The far length by a length of 025 -037 line, It lengts beging the ment 3 d'inte total light som as land, o.bo-1.00 li. This of this or suther or send visible of the 8-10-15 a come for with brund head, the single Smuly don't sit spike, wife by the Come ned Delawer, Mele, bay Med. se py 427. has been it the while by Anni both st has been and the for J. pender Mayer ! place septiment long enits of Shown that May fellen on futern, al rand ber our plat with & can't seed, but to the freque folirers exomeron of this plant of


If _ the subvariety A comes in habit as stature neartest to vary, but it, smill short heads quil at mostly obtuse sepil, give it a very pierelin affect, sother on bolanit havi after to fint progetly with sometime, confull it it I doili en vitt f. astainelety, its nother tell end weak steer (12-2h feet high) with the lange and spready perile 1 - 9 inches lay a proportionally wide on the vir caps les is ville for the noth subvariety. but these chamity, are of slight volume, Ma E.C. Swith got a form at Tinnion nem Phila which conites their with vous, how it seeds of Their but the acts greater now of flower /10-12 the kanger heard of the acut points defeals of the The south form, the solvenies B is waste detigent, by it sow stature and evert painte the the details but head, Ami botons lar es ally take it for J. ac. Mx. Jee p.4

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

O A R D E N

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




The Letter of allotionale langthe. I shick This and the follows spening or well as The Asserter Leschenalti: gog belog toke is a juit nehme me i character, i well a, geographie White, I would charmed it they C'aule, e shijouete repente seriati compress, zen aurisite, eg i tantes tolei a letere comprissa (su aversa) inderea) imperfeite replater. Ongine ansidette sen subside sussine Capitale puri su plenger plenifler ringel, sa pen elet Hores did i orgitalis punifloris some plengre plunifloris lax: pedialleti fen sugar also-fusive Li, igeleis den ples m', omprite paintels Sepula lete exterior mucionte de austité submonitique Lupie, brumit oblivatil, es reprins longion, is est copilate vani Slaci 3-6 vical prim varia ovorin stylo brune vel elogate freit ushute capala amounts capyre caryon so sandy og red i Conlan, Somian aprilette ravirie shoult interlet Showing showing of the language.

MISSOURI BOTANICAL copyright reserved cm GARDEN

MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN